

FULCRUM PINS -WITH HEAD FOR NUT FIXING-

支点ピン

- 低頭段付ナット止めタイプー








®カタログ規格外品はこちら SETP.137 CADデータフォルダ名: 13 Hinge Pins

 $0.1 \sim 0.2$

フラットバー

固定




	L			Н	В			-	M×P	-	¥基準	善単価							
Dg ₆					選択					指定0.1mm単位	_ ^	- '		_ =	Г	(並目)	' '	CMSG	SCMSG
6	5	6	9	10	12					0.0 50.0	10	3	2		7	4×0.7	6.5	400	770
8	5	6	9	10	12	16				2.0~ 50.0	13	5	3	_	9	6×1.0	8.7	470	910
10										5 3.0~ 70.0	17	_	4	4 3	10	8×1.25	10.8	500	980
12				10	12	16	19	22	25			٥	0 4		12		12.8	650	1,260
13											19	8	5	6	16	10×1.5	14	670	1,300
15											24		6	7			17	680	1,330
16						46	40	20	O.E.	4.0~ 80.0	24	10	0 0		18	12×1.75		700	1,370
18						10	19	22	25		27		7				19	870	1,690
20										4.0~100.0	30	14] ′	8	24	16×2.0	21	940	1,820
	6 8 10 12 13 15 16 18	6 5 8 5 10 12 13 15 16 18	6 5 6 8 5 6 10 12 13 15 16 18	6 5 6 9 8 5 6 9 10 12 13 15 16 18	6 5 6 9 10 8 5 6 9 10 10 12 10 13 15 16 18	6 5 6 9 10 12 8 5 6 9 10 12 10 12 10 12 13 15 16 18	6 5 6 9 10 12 8 5 6 9 10 12 16 10 12 10 12 16 13 15 16 18 16 16	6 5 6 9 10 12 8 5 6 9 10 12 16 10 12 13 15 16 18	6 5 6 9 10 12 8 5 6 9 10 12 16 10 12 16 19 22 13 15 16 18 16 19 22	6 5 6 9 10 12 8 5 6 9 10 12 16 10 12 10 12 16 19 22 25 13 15 16 16 18 16 19 22 25	6 5 6 9 10 12 16 2.0~ 50.0 10 12 10 12 16 19 22 25 3.0~ 70.0 13 15 16 16 18 16 19 22 25 4.0~ 80.0	6 5 6 9 10 12 16 2.0~ 50.0 10 13 15 17 19 18 16 19 22 25 4.0~ 80.0 24 27	Dgs 選択 指定U.1mm单位	Dgs 選択 指定0.1mm単位 10 3 2 8 5 6 9 10 12 16 2.0~50.0 13 5 3 10	Dgs Mark Haz0.1mm#tu 10 3 2	Dgs 選択 指定0.1mm単位 10 3 2 2 7	Dg6 選択 指定0.1mm単位	B B C E F (並目) T	Bar Bar

■フリー指定タイプ												
型式		L	Н	F	_	В	С	Е	M×P	-	¥基達	単単価
Type	Dg6	指定1mm単位	指定0.1mm単位	指定1mm単位	A	Р	-	-	(並目)	'	FCMSG	FSCMSG
	6	5~12	2.0~ 50.0	4~ 7	10	3	2		4×0.7	6.5	950	1,380
	8	5~16	2.0~ 50.0	6~ 9	13	5	3	_	5 6×1.0	8.7	1,020	1,520
	10			8~12	17	- 6	4	3	8×1.25	10.8	1,050	1,600
FCMSG	12		3.0~ 70.0	8~12	19		4			12.8	1,170	1,870
	13			10~16	19	8	5	6	10×1.5	14	1,180	1,910
FSCMSG	15	10~25			0.4		6	7		17	1,200	1,950
	16		4.0~ 80.0	12~18	24	10	0	'	12×1.75		1,220	1,980
	18				27		7	8		19	1,360	2,300
	20		4.0~100.0	16~24	30	14	'	°	16×2.0	21	1,420	2,430

Example 使用例









	•	表示数量超えは
Alteration [2]	型式 - L - H -	F - (HKC
Alteration 追加工	CMSG10 - 12 - 15.2	- HKC


Alterations	Code).	¥/1Code		
96		H寸法部の外 ・PH寸適用範	径公差をg6 囲	に仕上げます	
		D	Н		
	HKC	6 • 8	10~ 50		300
		10 • 12 • 13	15~ 70		
, and the second second		15 • 16 • 18	20~ 80		
		20	20~100		




ローラピン

ROLLER PINS -RETAINING RING TYPE / FEMALE THREAD TYPE-


-止め輪タイプ・めねじタイプ-



型式		指定1mm単位		N	d		m ====			付厚	止め輪		¥基準	単価
Type	D	L	F	l IN	u	許容差 "	III	許容差	形状	JIS呼び	ばね用鋼	SUS304	NETWS2	SCNPR
	3	8~60	5~47		2	+0.06	0.5	+ 0.05		No. 2	NETW2	NETWS2	540	750
	4	9~60	5~48	,	3	0	0.075			No. 3	NETW3	NETWS3	580	830
	5	14~60	10~56	2	4	+0.075		+0.1	E型	No. 4	NETW4	NETWS4	660	930
	6	44-400	4000		5	0		0		No. 5	NETW5	NETWS5	710	1,020
	8	14~100	10~96	3	7	+ 0.09	0.9			No. 7	NETW7	NETWS7	770	1,060
CNPR	10	20~100	15~95	3	9.6	-0.09	1.15	+0.14	C型	No. 10	STWN10	STWN10	830	1,160
	12	20~200	15~195		11.5	0 -0.11				No. 12	STWN12	STWN12	980	1,420
SCNPR	13				12.4					No. 13	STWN13	STWN13	1,040	1,480
	14	30~200	25~195		13.4					No. 14	STWN14	STWN14	1,050	1,520
	15			4	14.3	0.11		0	0至	No. 15	STWN15	STWN15	1,060	1,550
	16				15.2	1				No. 16	STWN16	STWN16	1,170	1,690
	20	35~200	30~195		19	0 -0.21	1.35			No. 20	STWN20	STWN20	1,250	1,810
	25				23.9		1.35		ı	No. 25	STWN25	STWN25	1.350	1.890



型式		指定1mm単位		M					付属止め輪				¥基準単価		
Type	D	L	F	(並目)		許容差	m	許容差	形状	JIS呼び	ばね用鋼	SUS304	CNPP	SCNPP	
	8	14~100	10~96	M4	7	+0.09	0.9	+ 0.1	E型	No. 7	NETW7	NETWS7	660	950	
	10	20~100	15~95	M6	9.6	-0.09		+0.14		No. 10	STWN10	STWN10	740	1,070	
	12	20~200	15~195	IVIO	11.5	0 -0.11			C型 ·	No. 12	STWN12	STWN12	960	1,380	
CNPP	13		25~195	M8	12.4					No. 13	STWN13	STWN13	1,050	1,430	
	14	30~200			13.4					No. 14	STWN14	STWN14	1,100	1,430	
SCNPP	15									No. 15	STWN15	STWN15	1,140	1,410	
	16			M10	15.2					No. 16	STWN16	STWN16	1,240	1,530	
	20	35~200	30~195	M12	19	0	1.4			No. 20	STWN20	STWN20	1,460	1,840	
	25			M16	23.9	-0.21				No. 25	STWN25	STWN25	1,610	2,200	





Delivery	2	日目出荷
1 1171		



ストーク A早割 翌日出荷 200円/1明細行 PM 3:00迄 ストーク A 翌日出荷 200円/1本 PM 6:00迄 ・ストークA早割は1明細行当たり一律200円 ・プストークAは3本以上で1明細行当たり一律540円





■数量ス	ライド価格	(1)1円未	満切り捨て)	P.133						
数量区分	個別対応									
数里区ガ		小	大口	大口						
数 量	1~4	5~12	13~19	20~49	50~100	101以上				
値引率	基準単価	5%	10%	18%	20%	お見積り				
出荷日		通	+6日	の元領り						
	・ 表示数量超えはWOSにてご確認ください。									

1 -951