
922


規格追加 赤文字表示

END RETAINER SETS FOR NC MACHINING -FOR HEAVY-LOAD PUNCHES-

-厚板打抜きパンチ用-








型式		D _{G6}	Α	В	С	Е	F	G	н	J	R	D₁	d	d₁	t	м	⚠ 付属品	
Туре		D	DG6	A	В	C	_	Г	u	п	<u> </u>	n	Di	a	Q1		IVI	345
		10	+0.014 +0.005	37	20	21	35		10	9	29	9.5	14	9	10	10		③ボルトM8-40 ④MSTM6-30
④用 AP — AP (①②③④⑤)	DREG用 AP-FP (①2345)	13	+0.017 +0.006	43	26	23	38	- 20	13	11	32	12	14	9	10	10		⑤スクリュープラグM8
		16		44	24	26	40		13	12	34	14		11	12	14	_	③ボルトM10-40 ④MSTM6-30 ⑤スクリュープラグM8
APAR (①3.4.5)	APFR (①345)	20	+0.020 +0.007	48	28	27	42		16	14	36	17	17					
BPC	BPC (2)	25		50		30	46		18	17	39	19.5						(シスケリューノフケMo
AP—AN	AP-FN	32	+0.025 +0.009	54	30	33	48		21	20	42	23		13	14		19	(1)+* II L M12 40
		38		58		35	52		23	23	46	26	19				22	①ボルトM12-40 ②MSTM6-30 ・③スクリュープラグM8
		45		64	34	38	56		26	27	50	29.5					25.5	












END RETAINER SETS FOR EDGE-MATCHING MACHINING - FOR HEAVY-LOAD PUNCHES-

-厚板打抜きパンチ用





	型式 Type D		D _{G6}	A	В	С	E	F	G	н	J	R	D ₁	d	d₁	t	A 付属品 345	
•	A 用	DREG用	10	+0.014 +0.005	37	20	21	35		10	9	29	9.5	14	0	10	10	③ボルトM8-40
	FP-AP (12345)	FP-FP (12345)	13	+0.017 +0.006 +0.020 +0.007	43	26	23	38	20	10	11	32	12	14	9	10	10	④MSTM6−30⑤スクリュープラグM8
	FPAR (1345)	FPFR (1345)	16		44	24	26	40		13	12	34	14		11	12	14	③ボルトM10-40 ④MSTM6-30 ⑤スクリュープラグM8
	BPC (②)	(2)	20		48	28	27	42		16	14	36	17	17				
	FP—AN	FP—FN (①)	25		50	30	30	46		18	17	39	19.5					



FP-AP 10



•バッキングプレートBPC(DREG用共通)







